

# Certificate of Analysis

Sep 14, 2023

82 NE 26th street  
Miami, FL, 33137, US



**Sample:**   
**Harvest/Lot ID:**   
**Cultivation Facility:**   
**Processing Facility:**   
**Seed to Sale #**   
**Batch Date:** 08/27/23   
**Batch #:**   
**Sample Size Received:** 31.5 gram   
**Total Weight/Volume:** 794 units   
**Retail Product Size:** 3.5 gram   
**Ordered:** 09/07/23   
**sampled:** 09/07/23   
**Completed:** 09/14/23   
**Sampling Method:**

**PASSED**

Page 1 of 4

**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides**  
PASSED

**Heavy Metals**  
PASSED

**Microbials**  
PASSED

**Mycotoxins**  
PASSED

**Residuals Solvents**  
NOT TESTED

**Filtration**  
PASSED

**Water Activity**  
PASSED

**Moisture**  
PASSED

**Terpenes**  
TESTED

**CANNABINOID RESULTS**

**Total THC**  
**27.273%**
**TOTAL THC/Container :604.566 mg**

**Total CBD**  
**0.032%**
**TOTAL CBD/Container :1.134 mg**

**Total Cannabinoids**  
**29.894%**
**Total Cannabinoids/Container :696.29 mg**

	CBDV	CBD	CBGA	CBG	CBD	THCV	CBN	D9-THC	D8-THC	CBC	THCA
%	ND	0.037	0.205	<0.02	ND	ND	ND	0.313	ND	ND	29.339
mg/g	ND	0.37	2.05	<0.02	ND	ND	ND	3.13	ND	ND	293.39
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
%	%	%	%	%	%	%	%	%	%	%	%

**Cannabinoid Profile Test**

**Analyzed by** 450 **Weight** 0.2125g **Extraction date :** 09/08/21 12:09:03 **Extracted By :** 574  
**Analysis Method** SOP.T.40.020, SOP.T.30.050 **Reviewed On** 09/09/23 11:42:59 **Batch Date** 09/08/23 10:26:06  
**Analytical Batch** DA030984POT **Instrument Used** DA-LC-002 (Flower) **Running On** 09/08/23 16:39:14

Reagent	Dilution	Consums. ID
090321.R30	400	CE0123
082521.61		287035261
083121.R34		11945-019CD-019C
		914C4-914AK
		929C6-929H

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).

**Filtration** **PASSED**

**Analyzed By** 457 **Weight** NA **Extraction date** 09/08/23 **Extracted By** 457  
**Analyte** Filth and Foreign Material **LOD** 0.1 **Result** ND  
**Analysis Method** -SOP.T.40.013 **Batch Date** : 09/08/21 10:25:09  
**Analytical Batch** -DA030983FIL **Reviewed On** - 09/08/21 10:45:22  
**Instrument Used** : Filth/Foreign Material Microscope

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. An SH-28/T Stereo Microscope is used for inspection.

**Water Activity** **PASSED**

**Analyte** WATER ACTIVITY **Analyzed by** 457 **Weight** NA **Ext. date** 09/08/23 **LOD** 0.01 aw **A.L** 0.65aw **Result** 0.49aw  
**Analysis Method** -Water Activity **Batch Date** : 09/08/21 10:13:42  
**SOP.T.40.010** **Reviewed On** - 09/08/21 15:32:42  
**Analytical Batch** -DA030976WAT **Instrument Used** : DA-028 Rotronic Hygropalm

**Moisture** **PASSED**

**Analyte** MOISTURE CONTENT **Analyzed by** 457 **Weight** 0.536g **Ext. date** 09/08/23 **LOD** 1% **A.L** 15% **Result** 11.95%  
**Analysis Method** -Moisture **Batch Date** : 09/08/21 10:11:32  
**Analysis SOP** T.40.011 **Reviewed On** - 09/08/21 16:00:48  
**Analytical Batch** -DA030975MOI **Instrument Used** : DA-003 Moisture Analyzer

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
 ISO Accreditation # ISO/IEC  
 17025:2017 Accreditation  
 PJLA-Testing 97164

  
Signature

09/14/23

Signed On